Références bibliographiques des modules

ADELF (2003). Déontologie et bonnes pratiques en épidémiologie : révision des recommandations de 1998. Propositions du groupe de travail *ad hoc* de l'ADELF : 32p.

Astakhova L., Bouville A., Drozdovitch VV., et al. (1998). Chernobyl-related thyroid cancer in children of Belarus: A case-control study. Radiation Research 150: 349.

Bartram D. (1994). Fidélité et validité. Tests, mode d'emploi… In Beech JR., Harding L. Guide de psychométrie, Editions du centre de psychologie Appliquée : Paris, 65-100.

Beck F., Arwidson P., Firdion J., Gremy I., Jaspard M., Warszawsky J. (2001). L'avenir des enquêtes téléphoniques face à l'évolution des télécommunications (chapitre X). In Droesbeke, JJ., Lebart, L. Enquêtes, modèles et applications. Ed. Dunod, Paris : 285-93.

Bernaud J. (1998). Les méthodes d'évaluation de la personnalité. Ed. Dunod, Paris.

Bocognano A., Dumesnil S., Frérot L., Grandfils N., Le Fur P., Sermet C. (1999). Santé, soins et protection sociale en 1998, CREDES.

Breslau N., Davis GC., Andreski P., Peterson E. (1991). Traumatic events and posttraumatic stress disorder in an urban population of young adults. Arch Gen Psychiatr 48: 216-22.

Briand V., Boutou O., Slama R., Aussel L., Spira A. (2003). Use of French health insurance register to identify the current address of a cohort. RESP 51: 191-9.

Brogger J., Bakke P., Eide GE., Gulsvik A. (2002). Comparison of telephone and postal survey modes on repisratory symptoms and risk factors. Am J Epidemiol 155: 572-6.

Bruchon-Schweitzer M., Rascle N., Sarason IG. (2004). The Sarason Social Support Questionnaire (SSQ6). A French adaptation. Psychological Reports (In press).

Brunet A., Weiss DS., Metzler TJ., et al. (2000). An overview of the Peritraumatic Emotional Distress Scale. Dialogues In Clin Neurosci : 44-5.

Brunet A., Weiss DS., Metzler TJ., et al. (2001). The Peritraumatic Distress Inventory : A proposed Measure of PTSD criterion A2. Am J Psychiatr 158: 1480-5.

Cardis E., Gilbert ES., Carpenter L., et al. (1995). Effects of low doses and low dose rates of external ionizing radiation: cancer mortality among nuclear industry workers in three countries. Radiat Res 142: 117-32.

Chaix C. (1994). Observation et surveillance. ADSP 8: I-XXV.

CNAMTS (2002). La population protégée par les régimes de sécurité sociale - Répartition géographique par département et par circonscription de caisse primaire au 31 décembre 2000. Dossier Etudes et statistiques 51: 38.

Collins M., Sykes WM. (1987). Comparaison de l'interview téléphonique et de l'interview sur place au Royaume-Uni. Techniques d'enquête. Statistiques Canada 13: 19-33.

Covello V., Merkhofer MW. (1993). Risk assessment methods. Approaches for assessing health and environmental risks. Ed. Plenum Press: New York.

Dab W. (1994). Observation, surveillance et décision : de la contemplation à l'action. ADSP 8: XXX-XXXI.

Deville J., Neros B., Berthier C. (1998). Une méthode de mesure de l'effet enquêteur. Actes des Journées de Méthodologie Statistiques, Paris.

DREES (2001). Suicides et tentatives de suicide en France : une tentative de cadrage statistique. DREES, Études et Résultats, 109.

Dussaix A. (2002). La qualité des enquêtes. 3ème colloque francophone sur les sondages, Grenoble-Autrans.

Fermanian J. (1984a). Mesure de l'accord entre deux juges : cas qualitatif. RESP 32: 140-7.

Fermanian J. (1984b). Mesure de l'accord entre deux juges : cas quantitatif. RESP 32: 408-13.

FNORS (2003). Couverture vaccinale en Bourgogne et Provence-Alpes-Côte d'Azur. Fédération Nationale des ORS: Paris. 179 p.

Folkman S. (1984). Personal control and stress and coping processes: a theoretical analysis. J Pers Soc Psychol 46: 839-52.

Fréjean M., Panzani JP., Tassi P. (1990). Les ménages inscrits en liste rouge et les enquêtes par téléphone. Journal de la société statistique 131: 86-102.

Gandek B., Ware JE., et al. (1998). Cross-validation of item selection and scoring for the SF-12 Health Survey in nine countries: results from the IQOLA Project. International Quality of Life Assessment. J Clin Epidemiol 51: 1171-8.

Guillevic C., Vautier S. (1998). Diagnostic et tests psychologiques. Ed. Armand Collin : Paris.

Hagenaars, J., Heinen, TG. (1982). Effects of Rôle-Independent Interviewier Characteristics on Responses. Response Behaviour in the Survey Interview. W. Dijkstra, Van Der Zouwen, J. London, Academic Press: 91-130.

Hémon D., Jougla E., Clavel J., Laurent F., Bellec S., Pavillon G. (2003). Surmortalité liée à la canicule d'Août 2003 en France. BEH 45-46: 221-5.

Hitlin R., Spielberg F., Barder E., Andre SJ. (1987). A comparison of telephone and door-to-door survey results for transit market research. 66th Annual meeting of the transportation Research Board, Washington.

Houts P., Hu T., Henderson R., Clearly P., Tokuhata G. (1984). Utilization of medical care following the Three Mile Island crisis. AJPH 74(2): 140-2.

INVS (2002). Suivi épidémiologique des conséquences sanitaires de l'explosion de l'usine AZF - Rapport Intermédiaire, INVS: 87p.

InVS (2003). Conséquences sanitaires de l'explosion survenue à l'usine "AZF" de Toulouse le 21 septembre 2001, INVS: 112p.

Jaspard M., Brown E. et al. (1999). Enquête nationale sur la violence envers les femmes: bilan de la phase préparatoire et de l'enquête pilote. Institut de Démographie de l'Université de Paris I.

Kesniiniene A., Cardis E., Tenet V., et al. (2002). Studies of cancer risk among Chernobyl liquidators: materials and methods. J Radiol Prot. 22(3A): 137-41.

Kessler RC., Sonnega A., Bromet E., Hughes M., Nelson CB. (1995). Posttraumatic stress disorder in the National Comorbidity Survey. Arch of Gen Psychiatr 52: 1048-60.

Kidal M., Andersson G., Fugl-Meyer AR., Lannerstam K., Gerdin B. (2001). Development of a brief version of the Burn Specific health Scale (BSHS-B). J Trauma 51: 740-6.

Kline P. (1994). Choisir le meilleur test. In J.R. Beech et L. Harding. Tests, mode d'emploi… Guide de psychométrie. Editions du centre de psychologie Appliquée :Paris, 125-37.

Kulka R., Schlenger WE., Fairbank JA., et al. (1990). Trauma and the Vietnam War Generation: report of findings from the Vietnam veterans readjustement Study. New York: Brunner / Maze.

Leplege A., Ecosse E., et al. (1998). The French SF-36 Health Survey: translation, cultural adaptation and preliminary psychometric evaluation. J Clin Epidemiol 51: 1013-23.

Leplege A., Ecosse E., Pouchot J., Coste J., Perneger T. (2001). Le questionnaire SF-36. Manuel de l'utilisateur et guide d'interprétation des scores. Ed. Première édition : Paris, 158 p.

Leplège A., Mesbah M., Marquis P. (1995). Analyse préliminaire des propriétés psychométriques de la version française d'un questionnaire international de mesure de qualité de vie: le MOS SF-36 (version 1.1). RESP 43: 371-9.

Mangione T., Fowler Floyd J., Thomas AL. (1992). Question characteristics and interviewer effects. J Official Stastitics 8: 293-307.

Munster A., Horowitz GL., Tudahl LA. (1987). The abbreviated Burn-Specific Health Scale. J Trauma 27: 425-8.

Noshchenko A., Zamostyan PV., Bondar OY., Drozdova VD. (2002). Radiation-induced leukemia risk among those aged 0-20 at the time of the Chernobyl accident: a case-control study in the Ukraine. Int J Cancer 99: 609-18.

NRC (1983). Risk assessment in the federal Government : managing the process. NAS-NRC Committee on the institutional means for assessment of risks to public health. Washington Dc, Nat Acad Press.

Orden S., Dyer A. et al. (1992). Random digit dialling in Chicago CARDIA: comparison of individuals with unlisted and listed telephone numbers. Am J Epidemiol 135: 697-709.

O'Toole B., Battistutta D., Long A. Crouch K. (1986). A comparison of costs and data quality of three health survey methods: mail, telephone and personal home interview. Am J Epidemiol 124(2): 317-328.

Pedinielli JL. (1995). Recherche clinique et méthodes quantitatives. In Bourguignon O., Bydlowski M. La recherche clinique en psychopathologie. Ed. P.U.F: Paris, 123-134.

Perneger T., Etter JF., Rougemont A. (1995). Validation of a French-language version of the MOS 36-Item Short Form Health Survey (SF-36) in young healthy adults. J Clin Epidemiol, 48: 1051-60.

Sarason I., Levine HM., Basham RB., Sarason BR. (1983). Assessing social support: the social support questionnaire. J Personal Soc Psychol 44: 127-39.

Siemiatycki J. (1979). A comparison of mail, telephone, and home interview strategies for household health surveys. Am J Public Health 69: 238-45.

Smeeth L., Fletcher AE., Stirling S., et al. (2001). Randomised comparison of three methods of administering a screening questionnaire to elderly people: findings from the MRC trial of the assessment and management of older people in the community. BMJ 323: 1403-7.

Smith W., Mitchell P., Attebo K., Leeder S. (1997). Selection bias from sampling frames: telephone directory and electoral roll compared with door-to-door population census: results from the Blue Mountains Eye Study. Aust & NZ J Public Health 21: 127-33.

Vaillant L. (1992). Analysis of sexual behaviors in France (ACSF): a comparison between two modes of investigation, telephone survey and face-to-face survey. AIDS 6: 315-23.

Vallerand RJ., Guay F., Blanchard C. (2000). La mesure du phénomène étudié. Méthodes de recherche en psychologie. Vallerand RJ. et al. Ed. Gaétan Morin: Paris, 241-284.

Verger P., Bourguignon M. (1999). Suivi sanitaire et médical des populations en phase post-accidentelle d'un accident radiologique. Rapport d'étape du Groupe de Travail n°4 à l'intention de Monsieur le Secrétaire Général du Comité Interministériel à la Sécurité Nucléaire. IPSN, OPRI, DGS, CEA, EDF, DDSC : Paris.

Verger P., Catelinois O., Tirmarche M., et al. (2003). Thyroid cancers in France and the Tchernobyl accident: risk assessment and recommandations for improving epidemiological knowledge. Health Physics 85: 323-9

Verger P., Dab W., Lamping D., Rouillon F., Loze JY. (2004). The psychological impact of terrorism: n epidemiologic study of PTSD and associated factors in victims of the 1995-96 bombings in France." Am J Psychiatry, 161: 1384-9.

Viel J., Arveux P., Baverel J., Cahn JY. (2000). Soft-tissue sarcoma and non-Hodgkin's lymphoma clusters around a municipal solid waste incinerator with high dioxin emission levels. Am J Epidemiol 152: 13-9.

Vlahov D., Galea S., Resnick H., et al. (2002). Increased Use of Cigarettes, Alcohol, and Marijuana among Manhattan, New York, Residents after the September 11th Terrorist Attacks. Am J Epidemiol 155(11): 988-96.

Ware JE., Sherbourne CD. (1992). The MOS 36-item short-form health survey (SF-36). Conceptual framework and item selection. Med Care 30: 473-83.

Wilson D., Starr GJ., Taylor AW., Dal Grande E. (1999). Random digit dialling and electronic White Pages Samples compared: demographic profiles and health estimates. Aust & NZ J Public Health 23: 627-33.